

Appl. No. 10/807,421  
Amdt. Dated June 30, 2006  
Reply to Office Action of April 4, 2006

### Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

#### Listing of Claims:

Claim 1 (currently amended): A frame for a backlight module, comprising:

a stable case comprising a bottom plate, at least three sidewalls connected to the bottom plate;

a movable case comprising a back rim and two side rims connected to thereto;

wherein[[,]] the movable case is slideably connected with the stable case by connecting elements to together form an adjustable receiving access configured for holding the backlight module.

Claim 2 (currently amended): The frame according to claim 1, wherein the connecting elements are two ~~orbits-runners~~ defined by the bottom plate, the at least three sidewalls, and flanges projecting from the corresponding sidewalls and parallel to the bottom plate.

Claim 3 (original): The frame according to claim 2, wherein the movable case further comprises a bottom plate connected to the back rim and the side rims.

Claim 4 (currently amended): The frame according to claim 3, wherein free ends of the side rims are bent towards the ~~outside~~inside of the movable

Appl. No. 10/807,421  
Amdt. Dated June 30, 2006  
Reply to Office Action of April 4, 2006

case to form curve portions.

Claim 5 (original): The frame according to claim 1, wherein the at least three sidewalls are three outside walls and two inside walls, and the connecting elements are sliding slots defined by the two inside walls and two outside walls.

Claim 6 (original): The frame according to claim 1, wherein free ends of the side rims are bent towards the outside of the movable case to form curve portions, and the connecting elements are sliding slots defined by the two side rims and the curve portions.

Claim 7 (currently amended): The frame according to ~~claim 6~~ claim 1, wherein free ends of the side rims are bent in the same direction to define curve portions, and the connecting elements are sliding slots defined by the two side rims and the curve portions.

Claim 8 (currently amended): A backlight module, comprising:  
a light guide plate;  
a light source disposed adjacent to the light guide plate; and  
a frame with an adjustable receiving access configured for receiving the light guide plate and the light source, comprising:

a stable case comprising a bottom plate~~[[,]]~~ and at least three sidewalls connected to the bottom plate;

a movable case comprising a back rim and two side rims connected to thereto;

wherein~~[[,]]~~ the movable case is slideably connected with the stable case by connecting elements to together form the adjustable

Appl. No. 10/807,421  
Amdt. Dated June 30, 2006  
Reply to Office Action of April 4, 2006

receiving access.

Claim 9 (currently amended): The backlight module according to claim 8, wherein the connecting elements are two ~~orbits~~-runners defined by the bottom plate, the at least three sidewalls, and flanges projecting from the corresponding sidewalls and parallel to the bottom plate.

Claim 10 (original): The backlight module according to claim 9, wherein the movable case further comprises a bottom plate connected to the back rim and the side rims.

Claim 11 (currently amended): The backlight module according to claim 10, wherein free ends of the side rims are bent towards the ~~outside~~ inside of the movable case to form curve portions.

Claim 12 (original): The backlight module according to claim 8, wherein the at least three sidewalls are three outside walls and two inside walls, and the connecting elements are sliding slots defined by the two inside walls and two outside walls.

Claim 13 (original): The backlight module according to claim 8, wherein free ends of the side rims are bent towards the outside of the movable case to form curve portions, and the connecting elements are sliding slots defined by the two side rims and the curve portions.

Claim 14 (currently amended): The backlight module according to ~~claim 13~~ claim 8, wherein free ends of the side rims are bent in the same direction to define curve portions, and the connecting elements are sliding

Appl. No. 10/807,421  
Amdt. Dated June 30, 2006  
Reply to Office Action of April 4, 2006

slots defined by the two side rims and the curve portions.

Claim 15 (original): The backlight module according to claim 8, wherein the backlight module further comprises a reflective plate disposed below the light guide plate.

Claim 16 (currently amended): The backlight module according to claim 15, wherein the backlight module further comprises a ~~diffusing~~ diffusing plate, at least one brightness enhancing film and a reflective type polarizer disposed on the light guide plate in order.

Claim 17 (currently amended): A frame using in a backlight module, comprising:

two separated cases; and

a connecting element comprising sliding parts and receiving slots respectively formed in the two separated cases, ~~whereby~~ wherein the two separated cases are slideably connected and the by the connecting element to form ~~[[a]]~~ an adjustable receiving access to hold the backlight module.